

- 1392 Bernard K.S. & Froneman P.W. (2002) Mesozooplankton community structure in the Southern Ocean upstream of the Prince Edward Islands. *Polar Biology* 25: 597-604
- 1393 Brand Z., Brand T.S., Brown C.R. & van Schalkwyk S.J. (2002) The effect of dietary energy and protein levels during a breeding season of ostriches (*Struthio camelus domesticus*) on production the following season. *South African Journal of Animal Science* 32(4): 226-230
- 1394 Brand Z., Brand T.S., Brown C.R. & van Schalkwyk S.J. (2002) The effect of dietary energy and protein levels on condition and production of breeding male ostriches (*Struthio camelus domesticus*). *South African Journal of Animal Science* 32(4): 231-238
- 1395 Byrne M.J., Currin S. & Hill M.P. (2002) The influence of climate on the establishment and success of the biocontrol agent *Gratiaria spadicea*, released on *Solanum sisymbriifolium* in South Africa. *Biological Control* 24: 128-134
- 1396 Center T.D., Hill M.P., Cordero H. & Julien M.H. (2002) Waterhyacinth. Biological Control of Invasive Weeds in the Eastern United States 4: 41- 64
- 1397 Center T.D. & Hill M.P. (2002) Field efficacy and predicted host range of the pickerelweed borer, *Bellura densa*, a potential biological control agent of water hyacinth. *BioControl* 47: 231-243
- 1398 Ellis Jr J.D., Neumann P., Hepburn R. & Elzen P.J. (2002) Longevity and Reproductive Success of *Aethina tumida* (Coleoptera: Nitidulidae) Fed Different Natural Diets. *Journal of Economic Entomology* 95(5): 902-907
- 1399 Erlandsson J. (2002) Do reproductive strategy and breeding season influence the presence of mate recognition in the intertidal snail *Littorina*? *Invertebrate Reproduction and Development* 41(1-3): 53-60
- 1400 Everitt V., Scherman P-A. & Villet M.H. (2002) The toxicity of zinc to a selected macroinvertebrate, *Adenophlebia auriculata* (Ephemeroptera, Leptophlebiidae): method development. *African Journal of Aquatic Science* 27: 31-38
- 1401 Foster G.G. & Hodgson A.N. (2002) A preliminary investigation into first-year student interactions with an online self-study assignment: The biological sciences as a case study. In: G. Wells & J. McNeill. *Proceedings of the 32nd Annual SACLA Conference* 1-10
- 1402 Froneman P.W. (2002) Food web structure in three contrasting estuaries determined using stable isotope ($\delta^{13}\text{C}$) analysis. *African Journal of Aquatic Science* 27: 107-115
- 1403 Froneman P.W. (2002) Trophic cascading in an oligotrophic temperate estuary, South Africa. *Journal of Plankton Research* 24(8): 807-816
- 1404 Froneman P.W. (2002) Seasonal changes in selected physico-chemical and biological variables in the temporarily open/closed Kasouga estuary, Eastern Cape, South Africa. *African Journal of Aquatic Science* 27: 117-123
- 1405 Froneman P.W., Ansorge I.J., Vumazonke L., Gulekana K., Bernard K., Webb A.M., Leukes W., Risien C.M., Thomalla S., Hermes J., Knott M., Anderson D., Hargey N., Jennings M., Veitch J., Lutjeharms J.R.E. & McQuaid C. (2002) Physical and biological variability in the Antarctic Polar Frontal Zone: report on research cruise 103 of the MV SA Agulhas. *South African Journal of Science* 98: 534-536

- 1406 Froneman P.W. (2002) Response of the plankton to three different hydrological phases of the temporarily open/closed Kasouga Estuary, South Africa. *Estuarine, Coastal and Shelf Science* 55: 535-546
- 1407 Froneman P.W., Pakhomov E.A., Gurney L.J. & Hunt B.P.V. (2002) Predation impact of carnivorous macrozooplankton in the vicinity of the Prince Edward Island archipelago (Southern Ocean) in austral autumn 1998. *Deep-Sea Research II* 49: 3243-3254
- 1408 Gurney L.J., Froneman P.W., Pakhomov E.A. & McQuaid C.D. (2002) Diel feeding patterns and daily ration estimates of three subantarctic euphausiids in the vicinity of the Prince Edward Islands (Southern Ocean). *Deep-Sea Research II* 49: 3207-3227
- 1409 Gwayi N. & Bernard R.T.F. (2002) The effects of melatonin on sperm motility in vitro in Wistar rats. *Andrologia* 34: 391-396
- 1410 Hartnoll R.G., Cannicci S., Emmerson W.D., Fratini S., Macia A., Mgaya Y., Porri F., Ruwa R.K., Shunula J.P., Skov M.W. & Vannini M. (2002) Geographic trends in mangrove crab abundance in East Africa. *Wetlands Ecology and Management* 10: 203-213
- 1411 Hill M.P. & Oberholzer I.G. (2002) Laboratory host range testing of the flea beetle, *Pseudolampsis guttata* (LeConte) (Coleoptera: Chrysomelidae), a potential natural enemy for red water fern, *Azolla filiculoides* Lamarck (Pteridophyta: Azollaceae) in South Africa. *The Coleopterists Bulletin* 56(1): 79-83
- 1412 Hodgson A.N., Ben-Ami F. & Heller J. (2002) Ultrastructure of oogenesis in an ovoviparous and an oviparous freshwater snail (Caenogastropoda). *Invertebrate Reproduction and Development* 41(1-3): 1-11
- 1413 Hulley P.E., Craig A.J.F.K. & Walter G.H. (2002) Group displays in pale-winged starlings. *African Zoology* 37(1): 105-107
- 1414 Hunt B.P.V., Pakhomov E.A. & McQuaid C.D. (2002) Community structure of mesozooplankton in the Antarctic polar frontal zone in the vicinity of the Prince Edward Islands (Southern Ocean): small-scale distribution patterns in relation to physical parameters. *Deep-Sea Research II: Tropical Studies in Oceanography* 49(16): 3307-3325
- 1415 Kaehler S. & Froneman P.W. (2002) Herbivore-mediated increase in the photosynthetic capacity of marine biofilms: indirect effects of changing microalgal assemblage composition. *Marine Ecology Progress Series* 234: 15-22
- 1416 Kigozi F. & Bernard R.T.F. (2002) Dental microwear in relation to diet in blue Duiker and common duiker (Cephalophinae, Bovidae, Mammalia) in South Africa. *Annals of the Eastern Cape Museums* 2: 1-8
- 1417 Pakhomov E.A., Froneman P.W., Wassmann P., Ratkova T. & Arashkevich E. (2002) Contribution of algal sinking and zooplankton grazing to downward flux in the Lazarev Sea (Southern Ocean) during the onset of phytoplankton bloom: a lagrangian study. *Marine Ecology Progress Series* 233: 73-88
- 1418 Pakhomov E.A., Froneman P.W. & Perissinotto R. (2002) Salp/krill interactions in the Southern Ocean: spatial segregation and implications for the carbon flux. *Deep-Sea Research II* 49: 1881-1907

- 1419 Pakhomov E.A., Kaehler S. & McQuaid C.D. (2002) Zooplankton community structure in the kelp beds of the sub-Antarctic Prince Edward archipelago: are they a refuge for larval stages? *Polar Biology* 25: 778-788
- 1420 Pal P. & Hodgson A.N. (2002) An ultrastructural study of oogenesis in a planktonic and a direct-developing species of Siphonaria (Gastropoda: pulmonata). *Journal of Molluscan Studies* 68: 337-344
- 1421 Pirk C.W.W., Hepburn R., Radloff S.E. & Erlandsson J. (2002) Defense posture in the dwarf honeybee, *Apis florea*. *Apidologie* 33: 289-294
- 1422 Pirk C.W.W., Neumann P. & Hepburn H.R. (2002) Egg laying and egg removal by workers are positively correlated in queenright Cape honeybee colonies (*Apis mellifera capensis*). *Apidologie* 33: 203-211
- 1423 Radloff S.E., Hepburn R., Neumann P., Moritz R.F.A. & Kryger P. (2002) A method for estimating variation in the phenotypic expression of morphological characters by thelytokous parthenogenesis in *Apis mellifera capensis*. *Apidologie* 33: 129-137
- 1424 Van Schalkwyk S.J., Brown C.R. & Cloete S.W.P. (2002) Gas exchange of the ostrich embryo during peak metabolism in relation to incubator design. *South African Journal of Animal Science* 32(2): 122-129