

- 1751 Ajuonu, O., Byrne, M., Hill, M., Neuenschwander, P. & Korie, S. (2009). The effect of two biological control agents, the weevil *Neochetina eichhorniae* and the mirid *Eccritotarsus catarinensis* on water hyacinth, *Eichhornia crassipes*, grown in culture with water lettuce, *Pistia stratiotes*. *Biological Control* 54: 155-162.
- 1752 Barber-James, H.M. (2009). A preliminary phylogeny of Prosopistomatidae (Ephemeroptera) based on morphological characters of the larvae, and an assessment of their distribution. *Aquatic Insects* 31(1): 149-166.
- 1753 Bernard, K.S. & Froneman, P.W. (2009). The sub-Antarctic euthecosome pteropod, *Limacina retroversa*: distribution patterns and trophic role. *Deep-Sea Research I* 56: 582-598.
- 1754 Bownes, S.J. & McQuaid, C.D. (2009). Mechanisms of habitat segregation between an invasive and an indigenous mussel: settlement, post-settlement mortality and recruitment. *Marine Biology* 156: 991-1006.
- 1755 Buchholz, S., Merkel, K., Spiewok, S., Pettis, J.S., Duncan, M., Spooner-Hart, R., Ulrichs, C., Ritter, W. & Neumann, P. (2009). Alternative control of *Aethina tumida* Murray (Coleoptera: Nitidulidae) with lime and diatomaceous earth. *Apidologie* 40: 535-548.
- 1756 Coetzee, J.A., Hill, M.P. & Schlange, D. (2009). Potential spread of the invasive plant *Hydrilla verticillata* in South Africa based on anthropogenic spread and climate suitability. *Biological Invasions* 11: 801-812.
- 1757 Coetzee, J.A., Byrne, M.J., Hill, M.P. & Center, T.D. (2009). Should the mirid, *Eccritotarsus catarinensis* (Heteroptera: Miridae), be considered for release against water hyacinth in the United States of America? *Biocontrol Science and Technology* 19 (1): 103-111.
- 1758 Coetzee, J.A., Hill, M.P., Julien, M.H., Centre, T.D. & Cordo. (2009). *Eichhornia crassipes* (Mart.) Solms-Laub. (Pontederiaceae). Pp. 183-210. In: Muniappan, E., Reddy, G.V.P. & Raman, A. (eds) *Biological Control of Tropical Weeds using Arthropods*. Cambridge University Press, United Kingdom.
- 1759 Coetzee, J.A. & Hill, M.P. (2009). Management of invasive aquatic plants. Pp. 141-152. In: Clout, M.N. & Williams, P.A. (eds) *Invasive Species Management (Techniques in Ecology and Conservation)*. Oxford University Press, London.

- 1760 Craig, A. (2009). Family Buphagidae (Oxpeckers). Pp. 642-653. In: del Hoyo, J., Elliott, A. & Christie, D. eds. *Handbook of the Birds of the World*. Vol.14. Bush-shrikes to Old World Sparrows. Lynx Edicions, Barcelona.
- 1761 Craig, A. (2009). Family Sturnidae (Starlings). Pp. 654-758. In: del Hoyo, J., Elliot, A. & Christie, D. eds. *Handbook of the Birds of the World*. Vol.14 Bush-shrikes to Old World Sparrows. Lynx Edicions, Barcelona.
- 1762 Dainat, B., Ken, T., Berthoud, H. & Neumann, P. (2009). The ectoparasitic mite *Tropilaelaps mercedesae* (Acari, Laelapidae) as a vector of honeybee viruses. *Insectes Sociaux* 56: 40-43.
- 1763 Diop, O. & Hill, M.P. (2009). Quantitative post-release evaluation of biological control of *Pistia stratiotes* Linnaeus (Araceae) by the weevil *Neohydronomus affinis* Hustache (Coleoptera: Curculionidae) in Senegal. *African Journal of Aquatic Science* 34(1): 35-44.
- 1764 Diop, O. & Hill. M.P. (2009). Quantitative post-release evaluation of biological control of floating fern, *Salvinia molesta* D.S. Mitchell (Salviniaceae), with *Cyrtobagous salviniae* Calder and Sands (Coleoptera: Curculionidae) on the Senegal River and the Senegal River Delta. *African Entomology* 17(1): 64-70.
- 1765 Downie, D.A. & Williams, J.G. (2009) Population structure of *Porthetes hispidus* (Coleoptera: Curculionidae), a Pollinator of the African Cycad *Encephalartos friderici-guilielmi*. *Annals of the Entomology Society of America* 102(6): 1126-1134.
- 1766 Duangphakdee, O., Radloff, S.E., Pirk, C.W.W. & Hepburn, R. (2009). Sun angle time windows for absconding by the dwarf honeybee, *Apis florea*. *Journal of Insect Physiology* 55: 1009-1012.
- 1767 Duangphakdee, O., Koeniger, N., Deowanish, S., Hepburn, H.R. & Wongsiri, S. (2009). Ant repellent resins of honeybees and stingless bees. *Insectes Sociaux* 56: 333-339.
- 1768 Eyer, M., Chen, Y.P., Schäfer, M.O., Pettis, J. & Neumann, P. (2009). Small hive beetle, *Aethina tumida*, as potential biological vector of honeybee viruses. *Apidologie* 40: 419-428.
- 1769 Eyer, M., Chen, P.C., Schäfer, M.O., Pettis, J.S. & Neumann, P. (2009). Honey bee sacbrood virus infects adult small hive beetles, *Aethina tumida* (Coleoptera: Nitidulidae). *Journal of Apicultural Research and Bee World* 48(4): 296-297.

- 1770 Froneman, P.W. & Henninger, T.O. (2009). The influence of prolonged mouth closure on selected components of the hyperbenthos in the littoral zone of the temporarily open/closed Kasouga Estuary, South Africa. *Estuarine, Coastal and Shelf Science* 83: 326-332.
- 1771 Froneman, P.W. (2009). Impact of reduced freshwater inflow on the Plankton of Southern African estuaries. Pp. 65-69. In: Suthers, I.M. & Rissik, D. (eds). *Plankton – A guide to their ecology and monitoring water quality*. CSIRO publishing, Australia.
- 1772 Gattoliat, J-L., Barber-James, H.M. & Monaghan, M.T. (2009). New species and generic delimitation of the Afrotropical genera *Bugilliesia* Lugo-Ortiz & McCafferty, 1996; *Cheleocloeon* Wuillot & Gillies, 1993 and *Delouardus* Lugo-Ortiz & McCafferty, 1999 (Ephemeroptera: Baetidae). *Aquatic Insects*: 31(3): 167-186.
- 1773 Haddad, N., Fuchs, S., Hepburn, H.R. & Radloff, S.E. (2009). *Apis florea* in Jordan: source of the founder population. *Apidologie* 40: 508-512.
- 1774 Henninger, T.O., Froneman, P.W., Richoux, N.B. & Hodgson, A.N. (2009). The role of macrophytes as a refuge and food source for the estuarine isopod *Exosphaeroma hylocoetes* (Barnard, 1940). *Estuarine Coastal and Shelf Science* 82: 285-293.
- 1775 Hepburn, H.R., Radloff, S.E., Duangphakdee, O. & Phaincharoen, M. (2009). Interspecific utilization of wax in comb building by honeybees. *Naturwissenschaften* 96: 719-723.
- 1776 Hepburn, H.R. (2009). Wax discrimination in the Lesser Honeyguide *Indicator minor*. *Ostrich* 80(2): 119-120.
- 1777 Hepburn, H.R. & Hepburn C. (2009). Bibliography of *Apis andreniformis* Smith, 1858. *Apidologie* 40(1): 3.
- 1778 Hill, J.M. & McQuaid, C.D. (2009). Variability in the fractionation of stable isotopes during the degradation of two intertidal red algae. *Estuarine, Coastal and Shelf Science* 82: 397-405
- 1779 Hill, M.P. & Julien, M.H. (2009). The transfer of appropriate technology; key to the successful biological control of five aquatic weeds in Africa. *Technology transfer of aquatic weed biocontrol*, Proceedings of the XI International Symposium on Biological Control of Weeds 370-374.

- 1780 Hill, M.P. & McConnachie, A.J. (2009). *Azolla filiculoides* Lamrack (Azollaceae). Pp. 74-87. In: Muniappan, R., Reddy, G.V.P & Raman, A. (eds). *Biological Control of Tropical Weeds using Arthropods*. Cambridge University, United Kingdom.
- 1781 Hodgson, A.N., Eckelbarger, K.J. & Young, C.M. (2009). Sperm ultrastructure and spermatogenesis in the hydrothermal vent gastropod *Rhynchopelta concentrica* (Peltospiridae). *Journal of Molluscan Studies* 75: 159-165.
- 1782 Hodgson, A.N. (2009). Professor Emeritus Denis William Ewer MBE FRSSAf 1913-2009. *Transactions of the Royal Society of South Africa* 64: 84-85.
- 1783 Hodgson, A.N. (2009). Reproduction and sex in invertebrates. In: *Reproduction and Development Biology*. (Ed. A. Pires da Silva), in Encyclopaedia of life Support Systems (EOLSS), Developed under the auspices of the UNESCO, Eolss Publishers, Oxford, U.K., [<http://www.eolss.net>].
- 1784 Julien, M.H., Hill, M.P. & Tipping, P.W. (2009). *Salvinia molesta* D.S. Mitchell (Salviniaceae). Pp. 378-407. In: Muniappan, R., Reddy, G.V.P. & Raman, A. (eds). *Biological Control of Tropical Weeds using Arthropods*. Cambridge University Press, United Kingdom.
- 1785 Kastberger, G., Thenius, R., Stabentheiner, A. & Hepburn, R. (2009). Aggressive and docile colony defence patterns in *Apis mellifera*. A Retreater-Releaser concept. *Journal of Insect Behaviour* 22: 65-85.
- 1786 Kemp, J.O.G. (2009). Effects of temperature and salinity on resting metabolism in two South African rock pool fish: the resident gobiid *Caffrogobius caffer* and the transient sparid *Diplodus sargus capensis*. *African Zoology* 44(2): 151-158.
- 1787 Kirk-Spriggs, A.H. & McGregor, G. (2009). Disjunctions in the Diptera (Insecta) fauna of the Mediterranean Province and southern Africa and discussion of biogeographical considerations. *Transactions of the Royal Society of South Africa* 64(1): 32-52.
- 1788 Kohler, S., Bonnevie, B., McQuaid, C. & Jaquemet, S. (2009). Foraging ecology of an endemic shorebird, the African Black Oystercatcher (*Haematopus moquini*) on the south-east coast of South Africa. *Estuarine, Coastal and Shelf Science* 84: 361-366.
- 1789 Marshall, D.J., Styan, C & McQuaid, C.D. (2009). Larval supply and dispersal. Pp. 165-176. In: Wahl, M. (eds). *Marine Hard Bottom Communities. Patterns, Dynamics, Diversity and Change*. Springer-Verlag, Berlin.

- 1790 McQuaid, C.D. & Arenas, F. (2009). Biological Invasions: Insights from Marine Benthic Communities. Pp. 309-332. In: Wahl, M. (eds). *Marine Hard Bottom Communities. Patterns, Dynamics, Diversity and Change*. Springer-Verlag, Berlin.
- 1791 McQuaid, C.D. & Miller, K. (2009). Larval Supply and Dispersal. Pp. 16-29. In: Dürr, S. & Thomason, J.C. (eds). *Biofouling*. Wiley-Blackwell Publishing, United Kingdom.
- 1792 Midgley, J.M. & Villet, M.H. (2009). Effect of the killing method on post-mortem change in length of larvae of *Thanatophilus micans* (Fabricius 1794) (Coleoptera: Silphidae) stored in 70% ethanol. *International Journal of Legal Medicine* 123: 103 – 108.
- 1793 Midgley, J.M. & Villet, M.H. (2009). Development of *Thanatophilus micans* (Fabricius 1794) (Coleoptera: Silphidae) at constant temperature. *International Journal of Medicine* 123: 285-292.
- 1794 Neuenschwander P., Julien, M.H., Centre T.D. & Hill, M.P. (2009). *Pistia stratiotes* L. (Araceae). In: Muniappan, R., Reddy, G.V.P & Raman, A. Eds. *Biological Control of Tropical Weeds using Arthropods*. Cambridge University Press, pp. 332-352.
- 1795 Parker, D.M. & Bernard, R.T.F. (2009). Levels of aloe mortality with and without elephants in the Thicket Biome of South Africa. *African Journal of Ecology* 47: 246-251.
- 1796 Parker, D.M., Bernard, R.T.F. & Fike, B. (2009). Consumption of grass by black rhinoceroses in the Thicket Biome. *African Journal of Ecology* 47: 454-456.
- 1797 Parker, D.M., Bernard, R.T.F. & Adendorff, J. (2009). Do elephants influence the organisation and function of a South African grassland? *The Rangeland Journal* 31: 395-403.
- 1798 Paterson, I.D., Downie, D.A. & Hill, M.P. (2009). Using molecular methods to determine the origin of weed populations of *Pereskia aculeata* in South Africa and its relevance to biological control. *Biological Control* 48: 84-91.
- 1799 Pinchuck, S.C. & Hodgson, A.N. (2009). Comparative structure of the lateral pedal defensive glands of three species of *Siphonaria* (Gastropoda: Basommatophora). *Journal of Molluscan Studies* 75: 371-380.
- 1800 Qing-Hua, S., Ying-Chun, C., Hai-Bo, W., Downie, D.A. & Heng., Z. (2009). Origin and genetic diversity of grape phylloxera in China. *Acta Entomologica Sinica* 52(8): 885-894.

- 1801 Richards, C.S., Price, B.W. & Villet, M.H. (2009). Thermal ecophysiology of seven carrion-feeding blowflies in Southern Africa. *Entomologia Experimentalis et Applicata* 131: 11-19.
- 1802 Richards, C.S., Crous, K.L. & Villet, M.H. (2009). Models of development for blowfly sister species *Chrysomya chloropyga* and *Chrysomya putoria*. *Medical and Veterinary Entomology* 23: 56-61.
- 1803 Richards, C.S. & Villet, M.H. (2009). Data quality in thermal summation development models for forensically important blowflies. *Medical & Veterinary Entomology* 23: 269-276.
- 1804 Richards, C.S., Williams, K.A. & Villet, M.H. (2009). Predicting geographic distribution of seven forensically significant blowfly species (Diptera: Calliphoridae) in South Africa. *African Entomology* 17(2): 170-182.
- 1805 Richoux, N.B. & Froneman, P.W. (2009). Plankton trophodynamics at the subtropical convergence, Southern Ocean. *Journal of Plankton Research* 31(9): 1059-1073.
- 1806 Rius, M. & McQuaid, C.D. (2009). Facilitation and competition between invasive and indigenous mussels over a gradient of physical stress. *Basic and Applied Ecology* 10: 607-613.
- 1807 Roux, C. & Bernard, R.T.F. (2009). Home range size, spatial distribution and habitat use of elephants in two enclosed game reserves in the Eastern Cape Province, South Africa. *African Journal of Ecology* 47: 146-153.
- 1808 Schäfer, M.O., Ritter, W., Pettis, J.S., Teal, P.E.A. & Neumann, P. (2009). Effects of organic acid treatments on small hive beetles, *Aethina tumida*, and the associated yeast *Kodamaea ohmeri*. *Journal of Pest Science* 82: 283-287.
- 1809 Schapira, M., Buscot, M.J., Leterme, S.C., Pollet, T., Chapperon, C. & Seuront, L. (2009). Distribution of heterotrophic bacteria and virus-like particles along a salinity gradient in a hypersaline coastal lagoon. *Aquatic Microbial Ecology* 54: 171-183.
- 1810 Schapira, M., Pollet, T., Mitchell, J.G. & Seuront, L. (2009). Respiration rates in marine heterotrophic bacteria relate to the cytometric characteristics of bacterioplankton communities. *Journal of Marine Biological Association of the United Kingdom* 89(6): 1161-1169.

- 1811 Simon, C.A., Thornhill, D.J., Oyarzun, F. & Halanych, K.M. (2009). Genetic similarity between *Boccardia proboscidea* from Western North America and cultured abalone, *Haliotis midae*, in South Africa. *Aquaculture* 294: 18-24.
- 1812 Simon, C.A. (2009). *Pseudopolydora* species associated with mollusc shells on the south coast of South Africa, with the description of *Ps. dayii*, sp nov. *Journal of Marine Biological Association of the United Kingdom* 89(4): 681-687.
- 1813 Tan, K., Yang, M., Radloff, S., Pirk, C.W.W., Crewe, R.M., Phiancharoen, M., Hepburn, R. & Oldroyd, B.P. (2009). Worker reproduction in mixed species colonies of honey bees. *Behavioral Ecology* 20: 1106-1110.
- 1814 Tan, K., Yang, M., Radloff, S.E., Yu, Y., Pirk, C.W.W. & Hepburn, H.R. (2009). Intra- and interspecific brood recognition in pure and mixed-species honeybee colonies, *Apis cerana* and *A. mellifera*. *Apidologie* 40(2): 184-191.
- 1815 Teske, P.R., Winker, H., McQuaid, C.D. & Barker, N.P. (2009). A tropical/subtropical biogeographic disjunction in southeastern Africa separates two evolutionarily significant Units of an estuarine prawn. *Marine Biology* 156: 1265-1275.
- 1816 Teske, P.R., McLay, C.L., Sandoval-Castillo, J., Papadopoulos, I., Newman, B.K., Griffiths, C.L., McQuaid, C.D., Barker, N.P., Borgonie, G. & Beheregaray, L.B. (2009). Tri-locus sequence data reject a “Gondwanan origin hypothesis” for the African/South Pacific crab genus *Hymenosoma*. *Molecular Phylogenetics and Evolution* 53: 23-33.
- 1817 Tourle, R., Downie, D.A. & Villet, M.H. (2009). Flies in the ointment: a morphological and molecular comparison of *Lucilia cuprina* and *Lucilia sericata* (Diptera: Calliphoridae) in South Africa. *Medical and Veterinary Entomology* 23: 6-14.
- 1818 Vorwerk, P.D., Paterson, A.W., Froneman, P.W. & Whitfield, A.K. (2009). Increased abundance of two important sport fishery species following renewed river flow into a freshwater-deprived South African estuary. *Fisheries Management & Ecology* 16: 420-423.
- 1819 Vorwerk, P.D. & Froneman, P.W. (2009). The importance of estuarine-derived carbon for the nearshore marine environment: studies on two contrasting South African estuaries. *African Journal of Aquatic Science* 34(2): 137-146.

- 1820 Zachariades, C., Compton, S.G. & Schatz, B. (2009). Honeydew as Danegeld? Ants (Hymenoptera: Formicidae) tending a honeydew-producing homopteran do not offer protection from its main natural enemies. *Sociobiology* 54(2): 471-488.
- 1821 Zardi, G.I., Nicastro, K.R., McQuaid, C.D. & Gektidis, M. (2009). Effects of endolithic parasitism on invasive and indigenous mussels in a variable physical environment. *PLoS ONE* 4(8) E6560: 1-10.